

NAMERANÉ A MODELOVANÉ HLADINY VO VRTE VZ-3

M L U analýza zvodneného prostredia

Neustálené prúdenie vo viacvrstvovom zvodnenom systéme

Čas					zníženie (m)				
	(sec)	Vypočítané	Namerané	Rozdiel					
VZ-3	3600	1.673	2.000	-0.327	VZ-3	183600	2.045	1.740	0.305
VZ-3	7200	1.739	2.160	-0.421	VZ-3	187200	2.047	1.740	0.307
VZ-3	10800	1.777	2.190	-0.413	VZ-3	190800	2.049	1.740	0.309
VZ-3	14400	1.804	2.210	-0.406	VZ-3	194400	2.051	1.740	0.311
VZ-3	18000	1.825	2.220	-0.395	VZ-3	198000	2.052	1.740	0.312
VZ-3	21600	1.843	2.210	-0.367	VZ-3	201600	2.054	1.740	0.314
VZ-3	2,5200E+04	1.857	2.200	-0.343	VZ-3	205200	2.056	1.740	0.316
VZ-3	2,8800E+04	1.870	2.200	-0.330	VZ-3	208800	2.057	1.740	0.317
VZ-3	3,2400E+04	1.881	2.190	-0.309	VZ-3	212400	2.059	1.740	0.319
VZ-3	3,6000E+04	1.891	2.190	-0.299	VZ-3	216000	2.061	1.750	0.311
VZ-3	3,9600E+04	1.900	2.170	-0.270	VZ-3	219600	2.062	1.770	0.292
VZ-3	4,3200E+04	1.908	2.140	-0.232	VZ-3	223200	2.064	1.770	0.294
VZ-3	4,6800E+04	1.916	2.130	-0.214	VZ-3	226800	2.065	1.770	0.295
VZ-3	5,0400E+04	1.923	2.110	-0.187	VZ-3	230400	2.067	1.770	0.297
VZ-3	5,4000E+04	1.929	2.090	-0.161	VZ-3	234000	2.068	1.770	0.298
VZ-3	5,7600E+04	1.936	2.090	-0.154	VZ-3	237600	2.070	1.770	0.300
VZ-3	6,1200E+04	1.941	2.090	-0.149	VZ-3	241200	2.071	1.790	0.281
VZ-3	6,4800E+04	1.947	2.080	-0.133	VZ-3	244800	2.072	1.800	0.272
VZ-3	6,8400E+04	1.952	2.060	-0.108	VZ-3	248400	2.074	1.800	0.274
VZ-3	7,2000E+04	1.957	2.020	-0.063	VZ-3	252000	2.075	1.800	0.275
VZ-3	7,5600E+04	1.961	1.990	-0.029	VZ-3	255600	2.077	1.810	0.267
VZ-3	7,9200E+04	1.966	1.960	0.006	VZ-3	259200	2.078	1.820	0.258
VZ-3	8,2800E+04	1.970	1.940	0.030	VZ-3	262800	2.079	1.840	0.239
VZ-3	8,6400E+04	1.974	1.940	0.034	VZ-3	266400	2.080	1.850	0.230
VZ-3	9,0000E+04	1.978	1.940	0.038	VZ-3	270000	2.082	1.870	0.212
VZ-3	9,3600E+04	1.981	1.930	0.051	VZ-3	273600	2.083	1.880	0.203
VZ-3	9,7200E+04	1.985	1.910	0.075	VZ-3	277200	2.084	1.900	0.184
VZ-3	1,0080E+05	1.988	1.880	0.108	VZ-3	280800	2.085	1.890	0.195
VZ-3	1,0440E+05	1.992	1.840	0.152	VZ-3	284400	2.087	1.890	0.197
VZ-3	1,0800E+05	1.995	1.810	0.185	VZ-3	288000	2.088	1.880	0.208
VZ-3	1,1160E+05	1.998	1.770	0.228	VZ-3	291600	2.089	1.870	0.219
VZ-3	1,1520E+05	2.001	1.750	0.251	VZ-3	295200	2.090	1.880	0.210
VZ-3	1,1880E+05	2.004	1.730	0.274	VZ-3	298800	2.091	1.870	0.221
VZ-3	1,2240E+05	2.007	1.720	0.287	VZ-3	302400	2.092	1.870	0.222
VZ-3	1,2600E+05	2.010	1.700	0.310	VZ-3	306000	2.094	1.870	0.224
VZ-3	1,2960E+05	2.012	1.690	0.322	VZ-3	309600	2.095	1.860	0.235
VZ-3	1,3320E+05	2.015	1.680	0.335	VZ-3	313200	2.096	1.860	0.236
VZ-3	1,3680E+05	2.017	1.680	0.337	VZ-3	316800	2.097	1.860	0.237
VZ-3	1,4040E+05	2.020	1.690	0.330	VZ-3	320400	2.098	1.860	0.238
VZ-3	1,4400E+05	2.022	1.690	0.332	VZ-3	324000	2.099	1.870	0.229
VZ-3	1,4760E+05	2.025	1.680	0.345	VZ-3	327600	2.100	1.880	0.220
VZ-3	1,5120E+05	2.027	1.680	0.347	VZ-3	331200	2.101	1.880	0.221
VZ-3	1,5480E+05	2.029	1.680	0.349	VZ-3	334800	2.102	1.880	0.222
VZ-3	1,5840E+05	2.031	1.670	0.361	VZ-3	338400	2.103	1.900	0.203
VZ-3	1,6200E+05	2.033	1.680	0.353	VZ-3	342000	2.104	1.920	0.184
VZ-3	1,6560E+05	2.035	1.700	0.335	VZ-3	345600	2.105	1.920	0.185
VZ-3	1,6920E+05	2.038	1.710	0.328	VZ-3	349200	2.106	1.940	0.166
VZ-3	1,7280E+05	2.039	1.720	0.319	VZ-3	352800	2.107	1.960	0.147
VZ-3	1,7640E+05	2.041	1.730	0.311	VZ-3	356400	2.108	1.970	0.138
VZ-3	1,8000E+05	2.043	1.740	0.303	VZ-3	360000	2.109	1.970	0.139

M L U analýza zvodneného prostredia

Neustálené prúdenie vo viacvrstvovom zvodnenom systéme

Čas					Čas				
zníženie (m)					zníženie (m)				
	(sec)	Vypočítané	Namerané	Rozdiel		(sec)	Vypočítané	Namerané	Rozdiel
VZ-3	3,6360E+05	2.110	1.970	0.140	VZ-3	5,4360E+05	2.148	2.050	0.098
VZ-3	3,6720E+05	2.111	1.960	0.151	VZ-3	5,4720E+05	2.149	2.050	0.099
VZ-3	3,7080E+05	2.112	1.960	0.152	VZ-3	5,5080E+05	2.149	2.040	0.109
VZ-3	3,7440E+05	2.113	1.950	0.163	VZ-3	5,5440E+05	2.150	2.030	0.120
VZ-3	3,7800E+05	2.114	1.950	0.164	VZ-3	5,5800E+05	2.150	2.030	0.120
VZ-3	3,8160E+05	2.114	1.950	0.164	VZ-3	5,6160E+05	2.151	2.030	0.121
VZ-3	3,8520E+05	2.115	1.940	0.175	VZ-3	5,6520E+05	2.152	2.030	0.122
VZ-3	3,8880E+05	2.116	1.950	0.166	VZ-3	5,6880E+05	2.152	2.030	0.122
VZ-3	3,9240E+05	2.117	1.960	0.157	VZ-3	5,7240E+05	2.153	2.030	0.123
VZ-3	3,9600E+05	2.118	1.970	0.148	VZ-3	5,7600E+05	2.153	2.040	0.113
VZ-3	3,9960E+05	2.119	1.970	0.149	VZ-3	5,7960E+05	2.154	2.030	0.124
VZ-3	4,0320E+05	2.120	1.960	0.160	VZ-3	5,8320E+05	2.155	2.030	0.125
VZ-3	4,0680E+05	2.121	1.960	0.161	VZ-3	5,8680E+05	2.155	2.030	0.125
VZ-3	4,1040E+05	2.121	1.960	0.161	VZ-3	5,9040E+05	2.156	2.040	0.116
VZ-3	4,1400E+05	2.122	1.960	0.162	VZ-3	5,9400E+05	2.156	2.050	0.106
VZ-3	4,1760E+05	2.123	1.960	0.163	VZ-3	5,9760E+05	2.157	2.050	0.107
VZ-3	4,2120E+05	2.124	1.980	0.144	VZ-3	6,0120E+05	2.157	2.050	0.107
VZ-3	4,2480E+05	2.125	1.990	0.135	VZ-3	6,0480E+05	2.158	2.050	0.108
VZ-3	4,2840E+05	2.125	2.010	0.115	VZ-3	6,0840E+05	2.159	2.070	0.089
VZ-3	4,3200E+05	2.126	2.010	0.116	VZ-3	6,1200E+05	2.159	2.080	0.079
VZ-3	4,3560E+05	2.127	2.030	0.097	VZ-3	6,1560E+05	2.160	2.090	0.070
VZ-3	4,3920E+05	2.128	2.050	0.078	VZ-3	6,1920E+05	2.160	2.100	0.060
VZ-3	4,4280E+05	2.129	2.050	0.079	VZ-3	6,2280E+05	2.161	2.110	0.051
VZ-3	4,4640E+05	2.129	2.040	0.089	VZ-3	6,2640E+05	2.161	2.100	0.061
VZ-3	4,5000E+05	2.130	2.040	0.090	VZ-3	6,3000E+05	2.162	2.100	0.062
VZ-3	4,5360E+05	2.131	2.030	0.101	VZ-3	6,3360E+05	2.162	2.090	0.072
VZ-3	4,5720E+05	2.132	2.020	0.112	VZ-3	6,3720E+05	2.163	2.090	0.073
VZ-3	4,6080E+05	2.132	2.020	0.112	VZ-3	6,4080E+05	2.163	2.080	0.083
VZ-3	4,6440E+05	2.133	2.010	0.123	VZ-3	6,4440E+05	2.164	2.070	0.094
VZ-3	4,6800E+05	2.134	2.000	0.134	VZ-3	6,4800E+05	2.165	2.070	0.095
VZ-3	4,7160E+05	2.134	1.990	0.144	VZ-3	6,5160E+05	2.165	2.080	0.085
VZ-3	4,7520E+05	2.135	1.980	0.155	VZ-3	6,5520E+05	2.166	2.070	0.096
VZ-3	4,7880E+05	2.136	1.990	0.146	VZ-3	6,5880E+05	2.166	2.070	0.096
VZ-3	4,8240E+05	2.137	2.000	0.137	VZ-3	6,6240E+05	2.167	2.060	0.107
VZ-3	4,8600E+05	2.137	2.010	0.127	VZ-3	6,6600E+05	2.167	2.070	0.097
VZ-3	4,8960E+05	2.138	2.000	0.138	VZ-3	6,6960E+05	2.168	2.090	0.078
VZ-3	4,9320E+05	2.139	2.000	0.139	VZ-3	6,7320E+05	2.168	2.080	0.088
VZ-3	4,9680E+05	2.139	1.990	0.149	VZ-3	6,7680E+05	2.169	2.080	0.089
VZ-3	5,0040E+05	2.140	1.990	0.150	VZ-3	6,8040E+05	2.169	2.070	0.099
VZ-3	5,0400E+05	2.141	1.990	0.151	VZ-3	6,8400E+05	2.170	2.080	0.090
VZ-3	5,0760E+05	2.141	2.000	0.141	VZ-3	6,8760E+05	2.170	2.080	0.090
VZ-3	5,1120E+05	2.142	2.010	0.132	VZ-3	6,9120E+05	2.171	2.100	0.071
VZ-3	5,1480E+05	2.143	2.020	0.123	VZ-3	6,9480E+05	2.171	2.100	0.071
VZ-3	5,1840E+05	2.143	2.040	0.103	VZ-3	6,9840E+05	2.172	2.110	0.062
VZ-3	5,2200E+05	2.144	2.050	0.094	VZ-3	7,0200E+05	2.172	2.130	0.042
VZ-3	5,2560E+05	2.145	2.060	0.085	VZ-3	7,0560E+05	2.173	2.140	0.033
VZ-3	5,2920E+05	2.145	2.070	0.075	VZ-3	7,0920E+05	2.173	2.150	0.023
VZ-3	5,3280E+05	2.146	2.070	0.076	VZ-3	7,1280E+05	2.174	2.140	0.034
VZ-3	5,3640E+05	2.147	2.070	0.077	VZ-3	7,1640E+05	2.174	2.130	0.044
VZ-3	5,4000E+05	2.147	2.060	0.087	VZ-3	7,2000E+05	2.175	2.130	0.045

M L U analýza zvodneného prostredia

Neustálené prúdenie vo viacvrstvovom zvodnenom systéme

Čas					zníženie (m)				
	(sec)	Vypočítané	Namerané	Rozdiel		(sec)	Vypočítané	Namerané	Rozdiel
VZ-3	7,2360E+05	2.175	2.120	0.055	VZ-3	9,0360E+05	2.196	2.180	0.016
VZ-3	7,2720E+05	2.175	2.120	0.055	VZ-3	9,0720E+05	2.196	2.180	0.016
VZ-3	7,3080E+05	2.176	2.110	0.066	VZ-3	9,1080E+05	2.197	2.170	0.027
VZ-3	7,3440E+05	2.176	2.110	0.066	VZ-3	9,1440E+05	2.197	2.170	0.027
VZ-3	7,3800E+05	2.177	2.100	0.077	VZ-3	9,1800E+05	2.198	2.160	0.038
VZ-3	7,4160E+05	2.177	2.100	0.077	VZ-3	9,2160E+05	2.198	2.150	0.048
VZ-3	7,4520E+05	2.178	2.100	0.078	VZ-3	9,2520E+05	2.198	2.160	0.038
VZ-3	7,4880E+05	2.178	2.110	0.068	VZ-3	9,2880E+05	2.199	2.170	0.029
VZ-3	7,5240E+05	2.179	2.120	0.059	VZ-3	9,3240E+05	2.199	2.160	0.039
VZ-3	7,5600E+05	2.179	2.120	0.059	VZ-3	9,3600E+05	2.199	2.160	0.039
VZ-3	7,5960E+05	2.180	2.120	0.060	VZ-3	9,3960E+05	2.200	2.160	0.040
VZ-3	7,6320E+05	2.180	2.110	0.070	VZ-3	9,4320E+05	2.200	2.170	0.030
VZ-3	7,6680E+05	2.180	2.110	0.070	VZ-3	9,4680E+05	2.200	2.180	0.020
VZ-3	7,7040E+05	2.181	2.100	0.081	VZ-3	9,5040E+05	2.201	2.190	0.011
VZ-3	7,7400E+05	2.181	2.120	0.061	VZ-3	9,5400E+05	2.201	2.200	0.001
VZ-3	7,7760E+05	2.182	2.130	0.052	VZ-3	9,5760E+05	2.201	2.210	-0.009
VZ-3	7,8120E+05	2.182	2.140	0.042	VZ-3	9,6120E+05	2.202	2.230	-0.028
VZ-3	7,8480E+05	2.183	2.150	0.033	VZ-3	9,6480E+05	2.202	2.230	-0.028
VZ-3	7,8840E+05	2.183	2.170	0.013	VZ-3	9,6840E+05	2.203	2.230	-0.027
VZ-3	7,9200E+05	2.184	2.170	0.014	VZ-3	9,7200E+05	2.203	2.220	-0.017
VZ-3	7,9560E+05	2.184	2.170	0.014	VZ-3	9,7560E+05	2.203	2.220	-0.017
VZ-3	7,9920E+05	2.184	2.160	0.024	VZ-3	9,7920E+05	2.204	2.210	-0.006
VZ-3	8,0280E+05	2.185	2.160	0.025	VZ-3	9,8280E+05	2.204	2.200	0.004
VZ-3	8,0640E+05	2.185	2.150	0.035	VZ-3	9,8640E+05	2.204	2.200	0.004
VZ-3	8,1000E+05	2.186	2.140	0.046	VZ-3	9,9000E+05	2.205	2.190	0.015
VZ-3	8,1360E+05	2.186	2.140	0.046	VZ-3	9,9360E+05	2.205	2.190	0.015
VZ-3	8,1720E+05	2.186	2.140	0.046	VZ-3	9,9720E+05	2.205	2.180	0.025
VZ-3	8,2080E+05	2.187	2.130	0.057	VZ-3	1,0008E+06	2.206	2.180	0.026
VZ-3	8,2440E+05	2.187	2.150	0.037	VZ-3	1,0044E+06	2.206	2.190	0.016
VZ-3	8,2800E+05	2.188	2.150	0.038	VZ-3	1,0080E+06	2.206	2.190	0.016
VZ-3	8,3160E+05	2.188	2.140	0.048	VZ-3	1,0116E+06	2.207	2.190	0.017
VZ-3	8,3520E+05	2.189	2.140	0.049	VZ-3	1,0152E+06	2.207	2.180	0.027
VZ-3	8,3880E+05	2.189	2.130	0.059	VZ-3	1,0188E+06	2.207	2.180	0.027
VZ-3	8,4240E+05	2.189	2.130	0.059	VZ-3	1,0224E+06	2.208	2.170	0.038
VZ-3	8,4600E+05	2.190	2.150	0.040	VZ-3	1,0260E+06	2.208	2.180	0.028
VZ-3	8,4960E+05	2.190	2.150	0.040	VZ-3	1,0296E+06	2.208	2.190	0.018
VZ-3	8,5320E+05	2.191	2.140	0.051	VZ-3	1,0332E+06	2.209	2.200	0.009
VZ-3	8,5680E+05	2.191	2.140	0.051	VZ-3	1,0368E+06	2.209	2.210	-0.001
VZ-3	8,6040E+05	2.191	2.150	0.041	VZ-3	1,0404E+06	2.209	2.230	-0.021
VZ-3	8,6400E+05	2.192	2.160	0.032	VZ-3	1,0440E+06	2.210	2.240	-0.030
VZ-3	8,6760E+05	2.192	2.170	0.022	VZ-3	1,0476E+06	2.210	2.250	-0.040
VZ-3	8,7120E+05	2.193	2.190	0.003	VZ-3	1,0512E+06	2.210	2.260	-0.050
VZ-3	8,7480E+05	2.193	2.200	-0.007	VZ-3	1,0548E+06	2.211	2.250	-0.039
VZ-3	8,7840E+05	2.193	2.210	-0.017	VZ-3	1,0584E+06	2.211	2.250	-0.039
VZ-3	8,8200E+05	2.194	2.220	-0.026	VZ-3	1,0620E+06	2.211	2.240	-0.029
VZ-3	8,8560E+05	2.194	2.220	-0.026	VZ-3	1,0656E+06	2.212	2.230	-0.018
VZ-3	8,8920E+05	2.194	2.200	-0.006	VZ-3	1,0692E+06	2.212	2.220	-0.008
VZ-3	8,9280E+05	2.195	2.200	-0.005	VZ-3	1,0728E+06	2.212	2.220	-0.008
VZ-3	8,9640E+05	2.195	2.190	0.005	VZ-3	1,0764E+06	2.213	2.210	0.003
VZ-3	9,0000E+05	2.196	2.180	0.016	VZ-3	1,0800E+06	2.213	2.200	0.013

M L U analýza zvodneného prostredia

Neustálené prúdenie vo viacvrstvovom zvodnenom systéme

Čas					Čas				
zníženie (m)					zníženie (m)				
	(sec)	Vypočítané	Namerané	Rozdiel		(sec)	Vypočítané	Namerané	Rozdiel
VZ-3	1,0836E+06	2.213	2.200	0.013	VZ-3	1,2636E+06	2.228	2.350	-0.122
VZ-3	1,0872E+06	2.214	2.190	0.024	VZ-3	1,2672E+06	2.228	2.340	-0.112
VZ-3	1,0908E+06	2.214	2.190	0.024	VZ-3	1,2708E+06	2.228	2.340	-0.112
VZ-3	1,0944E+06	2.214	2.180	0.034	VZ-3	1,2744E+06	2.229	2.340	-0.111
VZ-3	1,0980E+06	2.214	2.190	0.024	VZ-3	1,2780E+06	2.229	2.340	-0.111
VZ-3	1,1016E+06	2.215	2.190	0.025	VZ-3	1,2816E+06	2.229	2.350	-0.121
VZ-3	1,1052E+06	2.215	2.190	0.025	VZ-3	1,2852E+06	2.229	2.360	-0.131
VZ-3	1,1088E+06	2.215	2.180	0.035	VZ-3	1,2888E+06	2.230	2.360	-0.130
VZ-3	1,1124E+06	2.216	2.180	0.036	VZ-3	1,2924E+06	2.230	2.370	-0.140
VZ-3	1,1160E+06	2.216	2.200	0.016	VZ-3	1,2960E+06	2.230	2.360	-0.130
VZ-3	1,1196E+06	2.216	2.210	0.006	VZ-3	1,2996E+06	2.230	2.360	-0.130
VZ-3	1,1232E+06	2.217	2.220	-0.003	VZ-3	1,3032E+06	2.231	2.350	-0.119
VZ-3	1,1268E+06	2.217	2.240	-0.023	VZ-3	1,3068E+06	2.231	2.340	-0.109
VZ-3	1,1304E+06	2.217	2.250	-0.033	VZ-3	1,3104E+06	2.231	2.340	-0.109
VZ-3	1,1340E+06	2.217	2.260	-0.043	VZ-3	1,3140E+06	2.231	2.330	-0.099
VZ-3	1,1376E+06	2.218	2.270	-0.052	VZ-3	1,3176E+06	2.232	2.320	-0.088
VZ-3	1,1412E+06	2.218	2.280	-0.062	VZ-3	1,3212E+06	2.232	2.320	-0.088
VZ-3	1,1448E+06	2.218	2.270	-0.052	VZ-3	1,3248E+06	2.232	2.330	-0.098
VZ-3	1,1484E+06	2.219	2.270	-0.051	VZ-3	1,3284E+06	2.232	2.330	-0.098
VZ-3	1,1520E+06	2.219	2.260	-0.041	VZ-3	1,3320E+06	2.233	2.340	-0.107
VZ-3	1,1556E+06	2.219	2.250	-0.031	VZ-3	1,3356E+06	2.233	2.340	-0.107
VZ-3	1,1592E+06	2.220	2.240	-0.020	VZ-3	1,3392E+06	2.233	2.330	-0.097
VZ-3	1,1628E+06	2.220	2.240	-0.020	VZ-3	1,3428E+06	2.233	2.330	-0.097
VZ-3	1,1664E+06	2.220	2.240	-0.020	VZ-3	1,3464E+06	2.234	2.320	-0.086
VZ-3	1,1700E+06	2.220	2.230	-0.010	VZ-3	1,3500E+06	2.234	2.310	-0.076
VZ-3	1,1736E+06	2.221	2.220	0.001	VZ-3	1,3536E+06	2.234	2.300	-0.066
VZ-3	1,1772E+06	2.221	2.210	0.011	VZ-3	1,3572E+06	2.234	2.290	-0.056
VZ-3	1,1808E+06	2.221	2.210	0.011	VZ-3	1,3608E+06	2.235	2.280	-0.045
VZ-3	1,1844E+06	2.222	2.200	0.022	VZ-3	1,3644E+06	2.235	2.280	-0.045
VZ-3	1,1880E+06	2.222	2.200	0.022	VZ-3	1,3680E+06	2.235	2.280	-0.045
VZ-3	1,1916E+06	2.222	2.200	0.022	VZ-3	1,3716E+06	2.235	2.290	-0.055
VZ-3	1,1952E+06	2.222	2.210	0.012	VZ-3	1,3752E+06	2.236	2.300	-0.064
VZ-3	1,1988E+06	2.223	2.200	0.023	VZ-3	1,3788E+06	2.236	2.310	-0.074
VZ-3	1,2024E+06	2.223	2.210	0.013	VZ-3	1,3824E+06	2.236	2.310	-0.074
VZ-3	1,2060E+06	2.223	2.220	0.003	VZ-3	1,3860E+06	2.236	2.320	-0.084
VZ-3	1,2096E+06	2.224	2.230	-0.006	VZ-3	1,3896E+06	2.237	2.330	-0.093
VZ-3	1,2132E+06	2.224	2.250	-0.026	VZ-3	1,3932E+06	2.237	2.340	-0.103
VZ-3	1,2168E+06	2.224	2.260	-0.036	VZ-3	1,3968E+06	2.237	2.350	-0.113
VZ-3	1,2204E+06	2.224	2.270	-0.046	VZ-3	1,4004E+06	2.237	2.360	-0.123
VZ-3	1,2240E+06	2.225	2.280	-0.055	VZ-3	1,4040E+06	2.238	2.350	-0.112
VZ-3	1,2276E+06	2.225	2.300	-0.075	VZ-3	1,4076E+06	2.238	2.340	-0.102
VZ-3	1,2312E+06	2.225	2.300	-0.075	VZ-3	1,4112E+06	2.238	2.340	-0.102
VZ-3	1,2348E+06	2.226	2.310	-0.084	VZ-3	1,4148E+06	2.238	2.340	-0.102
VZ-3	1,2384E+06	2.226	2.320	-0.094	VZ-3	1,4184E+06	2.239	2.350	-0.111
VZ-3	1,2420E+06	2.226	2.330	-0.104	VZ-3	1,4220E+06	2.239	2.370	-0.131
VZ-3	1,2456E+06	2.226	2.340	-0.114	VZ-3	1,4256E+06	2.239	2.370	-0.131
VZ-3	1,2492E+06	2.227	2.340	-0.113	VZ-3	1,4292E+06	2.239	2.380	-0.141
VZ-3	1,2528E+06	2.227	2.360	-0.133	VZ-3	1,4328E+06	2.240	2.390	-0.150
VZ-3	1,2564E+06	2.227	2.360	-0.133	VZ-3	1,4364E+06	2.240	2.390	-0.150
VZ-3	1,2600E+06	2.227	2.360	-0.133	VZ-3	1,4400E+06	2.240	2.400	-0.160

M L U analýza zvodneného prostredia

Neustálené prúdenie vo viacvrstvovom zvodnenom systéme

Čas					zníženie (m)				
	(sec)	Vypočítané	Namerané	Rozdiel		(sec)	Vypočítané	Namerané	Rozdiel
VZ-3	1,4436E+06	2.240	2.400	-0.160	VZ-3	1,6236E+06	2.251	2.340	-0.089
VZ-3	1,4472E+06	2.241	2.410	-0.169	VZ-3	1,6272E+06	2.252	2.330	-0.078
VZ-3	1,4508E+06	2.241	2.410	-0.169	VZ-3	1,6308E+06	2.252	2.320	-0.068
VZ-3	1,4544E+06	2.241	2.420	-0.179	VZ-3	1,6344E+06	2.252	2.320	-0.068
VZ-3	1,4580E+06	2.241	2.430	-0.189	VZ-3	1,6380E+06	2.252	2.310	-0.058
VZ-3	1,4616E+06	2.242	2.430	-0.188	VZ-3	1,6416E+06	2.252	2.300	-0.048
VZ-3	1,4652E+06	2.242	2.420	-0.178	VZ-3	1,6452E+06	2.253	2.310	-0.057
VZ-3	1,4688E+06	2.242	2.420	-0.178	VZ-3	1,6488E+06	2.253	2.300	-0.047
VZ-3	1,4724E+06	2.242	2.420	-0.178	VZ-3	1,6524E+06	2.253	2.300	-0.047
VZ-3	1,4760E+06	2.242	2.420	-0.178	VZ-3	1,6560E+06	2.253	2.290	-0.037
VZ-3	1,4796E+06	2.243	2.430	-0.187	VZ-3	1,6596E+06	2.254	2.290	-0.036
VZ-3	1,4832E+06	2.243	2.430	-0.187	VZ-3	1,6632E+06	2.254	2.290	-0.036
VZ-3	1,4868E+06	2.243	2.440	-0.197	VZ-3	1,6668E+06	2.254	2.290	-0.036
VZ-3	1,4904E+06	2.243	2.450	-0.207	VZ-3	1,6704E+06	2.254	2.280	-0.026
VZ-3	1,4940E+06	2.244	2.450	-0.206	VZ-3	1,6740E+06	2.254	2.280	-0.026
VZ-3	1,4976E+06	2.244	2.460	-0.216	VZ-3	1,6776E+06	2.255	2.270	-0.015
VZ-3	1,5012E+06	2.244	2.460	-0.216	VZ-3	1,6812E+06	2.255	2.270	-0.015
VZ-3	1,5048E+06	2.244	2.470	-0.226	VZ-3	1,6848E+06	2.255	2.260	-0.005
VZ-3	1,5084E+06	2.244	2.480	-0.236	VZ-3	1,6884E+06	2.255	2.260	-0.005
VZ-3	1,5120E+06	2.245	2.480	-0.235	VZ-3	1,6920E+06	2.255	2.260	-0.005
VZ-3	1,5156E+06	2.245	2.480	-0.235	VZ-3	1,6956E+06	2.256	2.260	-0.004
VZ-3	1,5192E+06	2.245	2.490	-0.245	VZ-3	1,6992E+06	2.256	2.250	0.006
VZ-3	1,5228E+06	2.245	2.490	-0.245	VZ-3	1,7028E+06	2.256	2.250	0.006
VZ-3	1,5264E+06	2.246	2.490	-0.244	VZ-3	1,7064E+06	2.256	2.250	0.006
VZ-3	1,5300E+06	2.246	2.500	-0.254	VZ-3	1,7100E+06	2.256	2.250	0.006
VZ-3	1,5336E+06	2.246	2.500	-0.254	VZ-3	1,7136E+06	2.257	2.250	0.007
VZ-3	1,5372E+06	2.246	2.510	-0.264	VZ-3	1,7172E+06	2.257	2.240	0.017
VZ-3	1,5408E+06	2.246	2.510	-0.264	VZ-3	1,7208E+06	2.257	2.240	0.017
VZ-3	1,5444E+06	2.247	2.510	-0.263	VZ-3	1,7244E+06	2.257	2.250	0.007
VZ-3	1,5480E+06	2.247	2.510	-0.263	VZ-3	1,7280E+06	1.700	1.820	-0.120
VZ-3	1,5516E+06	2.247	2.500	-0.253	VZ-3	1,7316E+06	1.678	1.820	-0.142
VZ-3	1,5552E+06	2.247	2.500	-0.253	VZ-3	1,7352E+06	1.665	1.820	-0.155
VZ-3	1,5588E+06	2.248	2.480	-0.232	VZ-3	1,7388E+06	1.656	1.820	-0.164
VZ-3	1,5624E+06	2.248	2.480	-0.232	VZ-3	1,7424E+06	1.650	1.820	-0.170
VZ-3	1,5660E+06	2.248	2.480	-0.232	VZ-3	1,7460E+06	1.644	1.820	-0.176
VZ-3	1,5696E+06	2.248	2.460	-0.212	VZ-3	1,7496E+06	1.639	1.820	-0.181
VZ-3	1,5732E+06	2.248	2.460	-0.212	VZ-3	1,7532E+06	1.635	1.810	-0.175
VZ-3	1,5768E+06	2.249	2.450	-0.201	VZ-3	1,7568E+06	1.632	1.800	-0.168
VZ-3	1,5804E+06	2.249	2.440	-0.191	VZ-3	1,7604E+06	1.629	1.790	-0.161
VZ-3	1,5840E+06	2.249	2.430	-0.181	VZ-3	1,7640E+06	1.626	1.780	-0.154
VZ-3	1,5876E+06	2.249	2.420	-0.171	VZ-3	1,7676E+06	1.623	1.760	-0.137
VZ-3	1,5912E+06	2.250	2.410	-0.160	VZ-3	1,7712E+06	1.621	1.760	-0.139
VZ-3	1,5948E+06	2.250	2.400	-0.150	VZ-3	1,7748E+06	1.619	1.750	-0.131
VZ-3	1,5984E+06	2.250	2.390	-0.140	VZ-3	1,7784E+06	1.617	1.750	-0.133
VZ-3	1,6020E+06	2.250	2.380	-0.130	VZ-3	1,7820E+06	1.615	1.740	-0.125
VZ-3	1,6056E+06	2.250	2.380	-0.130	VZ-3	1,7856E+06	1.613	1.730	-0.117
VZ-3	1,6092E+06	2.251	2.370	-0.119	VZ-3	1,7892E+06	1.612	1.720	-0.108
VZ-3	1,6128E+06	2.251	2.360	-0.109	VZ-3	1,7928E+06	1.610	1.710	-0.100
VZ-3	1,6164E+06	2.251	2.360	-0.109	VZ-3	1,7964E+06	1.609	1.710	-0.101
VZ-3	1,6200E+06	2.251	2.340	-0.089	VZ-3	1,8000E+06	1.607	1.710	-0.103

M L U analýza zvodneného prostredia

Neustálené prúdenie vo viacvrstvovom zvodnenom systéme

Čas					Čas				
zníženie (m)					zníženie (m)				
	(sec)	Vypočítané	Namerané	Rozdiel		(sec)	Vypočítané	Namerané	Rozdiel
VZ-3	1,8036E+06	1.606	1.710	-0.104	VZ-3	1,9836E+06	1.578	1.640	-0.062
VZ-3	1,8072E+06	1.605	1.700	-0.095	VZ-3	1,9872E+06	1.578	1.650	-0.072
VZ-3	1,8108E+06	1.604	1.710	-0.106	VZ-3	1,9908E+06	1.577	1.660	-0.083
VZ-3	1,8144E+06	1.603	1.720	-0.117	VZ-3	1,9944E+06	1.577	1.670	-0.093
VZ-3	1,8180E+06	1.602	1.720	-0.118	VZ-3	1,9980E+06	1.577	1.680	-0.103
VZ-3	1,8216E+06	1.601	1.720	-0.119	VZ-3	2,0016E+06	1.577	1.680	-0.103
VZ-3	1,8252E+06	1.600	1.730	-0.130	VZ-3	2,0052E+06	1.576	1.690	-0.114
VZ-3	1,8288E+06	1.599	1.740	-0.141	VZ-3	2,0088E+06	1.576	1.690	-0.114
VZ-3	1,8324E+06	1.598	1.750	-0.152	VZ-3	2,0124E+06	1.576	1.680	-0.104
VZ-3	1,8360E+06	1.597	1.750	-0.153	VZ-3	2,0160E+06	1.576	1.680	-0.104
VZ-3	1,8396E+06	1.596	1.750	-0.154	VZ-3	2,0196E+06	1.575	1.670	-0.095
VZ-3	1,8432E+06	1.595	1.740	-0.145	VZ-3	2,0232E+06	1.575	1.660	-0.085
VZ-3	1,8468E+06	1.595	1.730	-0.135	VZ-3	2,0268E+06	1.575	1.650	-0.075
VZ-3	1,8504E+06	1.594	1.720	-0.126	VZ-3	2,0304E+06	1.575	1.650	-0.075
VZ-3	1,8540E+06	1.593	1.710	-0.117	VZ-3	2,0340E+06	1.575	1.640	-0.065
VZ-3	1,8576E+06	1.593	1.700	-0.107	VZ-3	2,0376E+06	1.574	1.640	-0.066
VZ-3	1,8612E+06	1.592	1.700	-0.108	VZ-3	2,0412E+06	1.574	1.630	-0.056
VZ-3	1,8648E+06	1.591	1.700	-0.109	VZ-3	2,0448E+06	1.574	1.630	-0.056
VZ-3	1,8684E+06	1.591	1.690	-0.099	VZ-3	2,0484E+06	1.574	1.630	-0.056
VZ-3	1,8720E+06	1.590	1.680	-0.090	VZ-3	2,0520E+06	1.574	1.630	-0.056
VZ-3	1,8756E+06	1.589	1.670	-0.081	VZ-3	2,0556E+06	1.573	1.630	-0.057
VZ-3	1,8792E+06	1.589	1.670	-0.081	VZ-3	2,0592E+06	1.573	1.640	-0.067
VZ-3	1,8828E+06	1.588	1.670	-0.082	VZ-3	2,0628E+06	1.573	1.640	-0.067
VZ-3	1,8864E+06	1.588	1.680	-0.092	VZ-3	2,0664E+06	1.573	1.650	-0.077
VZ-3	1,8900E+06	1.587	1.680	-0.093	VZ-3	2,0700E+06	1.573	1.660	-0.087
VZ-3	1,8936E+06	1.587	1.690	-0.103	VZ-3	2,0736E+06	1.573	1.650	-0.077
VZ-3	1,8972E+06	1.586	1.690	-0.104	VZ-3	2,0772E+06	1.572	1.640	-0.068
VZ-3	1,9008E+06	1.586	1.690	-0.104	VZ-3	2,0808E+06	1.572	1.630	-0.058
VZ-3	1,9044E+06	1.585	1.690	-0.105	VZ-3	2,0844E+06	1.572	1.630	-0.058
VZ-3	1,9080E+06	1.585	1.670	-0.085	VZ-3	2,0880E+06	1.572	1.620	-0.048
VZ-3	1,9116E+06	1.585	1.670	-0.085	VZ-3	2,0916E+06	1.572	1.620	-0.048
VZ-3	1,9152E+06	1.584	1.660	-0.076	VZ-3	2,0952E+06	1.572	1.580	-0.008
VZ-3	1,9188E+06	1.584	1.670	-0.086	VZ-3	2,0988E+06	1.572	1.560	0.012
VZ-3	1,9224E+06	1.583	1.670	-0.087	VZ-3	2,1024E+06	1.571	1.550	0.021
VZ-3	1,9260E+06	1.583	1.650	-0.067	VZ-3	2,1060E+06	1.571	1.540	0.031
VZ-3	1,9296E+06	1.583	1.640	-0.057	VZ-3	2,1096E+06	1.571	1.540	0.031
VZ-3	1,9332E+06	1.582	1.630	-0.048	VZ-3	2,1132E+06	1.571	1.550	0.021
VZ-3	1,9368E+06	1.582	1.640	-0.058	VZ-3	2,1168E+06	1.571	1.560	0.011
VZ-3	1,9404E+06	1.581	1.650	-0.069	VZ-3	2,1204E+06	1.571	1.560	0.011
VZ-3	1,9440E+06	1.581	1.650	-0.069	VZ-3	2,1240E+06	1.571	1.550	0.021
VZ-3	1,9476E+06	1.581	1.640	-0.059	VZ-3	2,1276E+06	1.570	1.550	0.020
VZ-3	1,9512E+06	1.580	1.640	-0.060	VZ-3	2,1312E+06	1.570	1.550	0.020
VZ-3	1,9548E+06	1.580	1.640	-0.060	VZ-3	2,1348E+06	1.570	1.550	0.020
VZ-3	1,9584E+06	1.580	1.630	-0.050	VZ-3	2,1384E+06	1.570	1.540	0.030
VZ-3	1,9620E+06	1.579	1.630	-0.051	VZ-3	2,1420E+06	1.570	1.530	0.040
VZ-3	1,9656E+06	1.579	1.630	-0.051	VZ-3	2,1456E+06	1.570	1.530	0.040
VZ-3	1,9692E+06	1.579	1.630	-0.051	VZ-3	2,1492E+06	1.570	1.540	0.030
VZ-3	1,9728E+06	1.579	1.630	-0.051	VZ-3	2,1528E+06	1.570	1.550	0.020
VZ-3	1,9764E+06	1.578	1.630	-0.052	VZ-3	2,1564E+06	1.570	1.560	0.010
VZ-3	1,9800E+06	1.578	1.630	-0.052	VZ-3	2,1600E+06	1.569	1.570	-0.001

M L U analýza zvodneného prostredia

Neustálené prúdenie vo viacvrstvovom zvodnenom systéme

	Čas (sec)	Vypočítané	Namerané	Rozdiel
VZ-3	2,1636E+06	1.569	1.580	-0.011
VZ-3	2,1672E+06	1.569	1.590	-0.021
VZ-3	2,1708E+06	1.569	1.590	-0.021
VZ-3	2,1744E+06	1.569	1.590	-0.021
VZ-3	2,1780E+06	1.569	1.580	-0.011
VZ-3	2,1816E+06	1.569	1.580	-0.011
VZ-3	2,1852E+06	1.569	1.580	-0.011
VZ-3	2,1888E+06	1.569	1.580	-0.011
VZ-3	2,1924E+06	1.569	1.570	-0.001
VZ-3	2,1960E+06	1.569	1.570	-0.001
VZ-3	2,1996E+06	1.568	1.560	0.008
VZ-3	2,2032E+06	1.568	1.560	0.008
VZ-3	2,2068E+06	1.568	1.560	0.008
VZ-3	2,2104E+06	1.568	1.570	-0.002
VZ-3	2,2140E+06	1.568	1.580	-0.012
VZ-3	2,2176E+06	1.568	1.580	-0.012
VZ-3	2,2212E+06	1.568	1.570	-0.002
VZ-3	2,2248E+06	1.568	1.570	-0.002
VZ-3	2,2284E+06	1.568	1.570	-0.002
VZ-3	2,2320E+06	1.568	1.570	-0.002
VZ-3	2,2356E+06	1.568	1.580	-0.012
VZ-3	2,2392E+06	1.568	1.590	-0.022
VZ-3	2,2428E+06	1.568	1.600	-0.032
VZ-3	2,2464E+06	1.567	1.600	-0.033
VZ-3	2,2500E+06	1.567	1.610	-0.043
VZ-3	2,2536E+06	1.567	1.620	-0.053
VZ-3	2,2572E+06	1.567	1.630	-0.063
VZ-3	2,2608E+06	1.567	1.630	-0.063
VZ-3	2,2644E+06	1.567	1.630	-0.063
VZ-3	2,2680E+06	1.567	1.630	-0.063
VZ-3	2,2716E+06	1.567	1.620	-0.053
VZ-3	2,2752E+06	1.567	1.620	-0.053
VZ-3	2,2788E+06	1.567	1.610	-0.043
VZ-3	2,2824E+06	1.567	1.600	-0.033
VZ-3	2,2860E+06	1.567	1.600	-0.033
VZ-3	2,2896E+06	1.567	1.600	-0.033
VZ-3	2,2932E+06	1.567	1.590	-0.023
VZ-3	2,2968E+06	1.567	1.590	-0.023
VZ-3	2,3004E+06	1.567	1.590	-0.023
VZ-3	2,3040E+06	1.567	1.590	-0.023
VZ-3	2,3076E+06	1.567	1.600	-0.033
VZ-3	2,3112E+06	1.566	1.610	-0.044
VZ-3	2,3148E+06	1.566	1.610	-0.044
VZ-3	2,3184E+06	1.566	1.600	-0.034
VZ-3	2,3220E+06	1.566	1.600	-0.034
VZ-3	2,3256E+06	1.566	1.600	-0.034
VZ-3	2,3292E+06	1.566	1.600	-0.034
VZ-3	2,3328E+06	1.566	1.610	-0.044
VZ-3	2,3364E+06	1.566	1.620	-0.054
VZ-3	2,3400E+06	1.566	1.630	-0.064

	Čas (sec)	Vypočítané	Namerané	Rozdiel
VZ-3	2,3436E+06	1.566	1.640	-0.074
VZ-3	2,3472E+06	2.124	2.100	0.024
VZ-3	2,3508E+06	2.146	2.130	0.016
VZ-3	2,3544E+06	2.158	2.140	0.018
VZ-3	2,3580E+06	2.167	2.140	0.027
VZ-3	2,3616E+06	2.174	2.140	0.034
VZ-3	2,3652E+06	2.180	2.150	0.030
VZ-3	2,3688E+06	2.185	2.150	0.035
VZ-3	2,3724E+06	2.189	2.150	0.039
VZ-3	2,3760E+06	2.193	2.150	0.043
VZ-3	2,3796E+06	2.196	2.160	0.036
VZ-3	2,3832E+06	2.199	2.160	0.039
VZ-3	2,3868E+06	2.202	2.160	0.042
VZ-3	2,3904E+06	2.204	2.160	0.044
VZ-3	2,3940E+06	2.207	2.170	0.037
VZ-3	2,3976E+06	2.209	2.190	0.019
VZ-3	2,4012E+06	2.211	2.190	0.021
VZ-3	2,4048E+06	2.213	2.190	0.023
VZ-3	2,4084E+06	2.214	2.190	0.024
VZ-3	2,4120E+06	2.216	2.190	0.026
VZ-3	2,4156E+06	2.218	2.210	0.008
VZ-3	2,4192E+06	2.219	2.220	-0.001